

Safety Data Sheet (91/155/EEC)**ELASTOSIL PIGMENT PASTE FL LIGHT BLUE 5015**

Version: 1.4 (AUS) Date of print: 17.01.2006 Date of last alteration: 11.05.2004

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO THE CRITERIA OF NOHSC**1 Identification of the substance/preparation and company****1.1 Name of substance/preparation****Commercial product name:** ELASTOSIL PIGMENT PASTE FL LIGHT BLUE 5015**1.2 Use of substance / preparation:**Industrial.
Raw material for: elastomer products .**1.3 Company name****Manufacturer:** Wacker Chemie AG
Street/POB-No.: Hanns-Seidel-Platz 4
State/postal code/city: D 81737 Munchen
Telephone: +498962790
Telefax: +498962791770**1.4 Company name****Distributor:** Wacker Chemie AG
Careof Wacker Chemicals Australia Pty Ltd
Street/POB-No: Unit 18/20 Duerdin Street
State/postal code/city: Clayton North Vic 3168
Telephone: +61 3 9541 8900
Telefax: +61 3 9541 8989**1.5 Australian Emergency Telephone Number:****Emergency Information:** Regulatory Compliance Manager +61 3 9541 8900
Emergency Information (24 Hours): ADT Security - +61 3 9808 7363
Wacker Chemical Spills**2 Composition/information on ingredients****2.1 Chemical characterization (preparation):****Chemical characteristics**

Polydimethylsiloxane + pigment

3 Hazards identification**3.0** This chemical is not classified as Hazardous according to the criteria of NOHSC.

This chemical is not classified as a Dangerous Good.

3.1 Classification:

| R-Phrase | Description |
|----------|-------------|
| R- | - |

4 First-aid measures**4.1 General information:**

Get medical attention if irritation or other symptoms occur.

4.2 After inhalation:

Material cannot be inhaled under normal conditions. No special measures required.

4.3 After contact with the skin:

Wipe off excess material with cloth or paper. Use a waterless hand cleaner to remove as much of the remaining material as possible. Wash with soap and water.

Safety Data Sheet (91/155/EEC)**ELASTOSIL PIGMENT PASTE FL LIGHT BLUE 5015**

Version: 1.4 (AUS)

Date of print: 17.01.2006

Date of last alteration: 11.05.2004

4.4 After contact with the eyes:

Rinse immediately with plenty of water. Seek medical advice in case of continuous irritation.

4.5 After swallowing:

No special measures required. In cases of sickness seek medical advice (show label if possible).

5 Fire-fighting measures**5.1 Suitable extinguishing media:**

water spray , extinguishing powder , alcohol-resistant foam , carbon dioxide , sand .

5.2 Extinguishing media which must not be used for safety reasons:

water jet .

5.3 Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases:

-

5.4 Special protective equipment for fire fighting:

Use respiratory protection independent of recirculated air.

6 Accidental release measures**6.1 Personal precautions:**

No special measures required.

6.2 Environmental precautions:

Prevent material from entering sewers or surface waters.

6.3 Methods for cleaning up:

Scoop up large quantities after dusting surfaces with sand or Fuller's earth to prevent sticking. Sweep or scrape up the spilled material and place in an appropriate chemical waste container. Clean any slippery coating that remains using a detergent / soap solution or another biodegradable cleaner. Apply sand or other inert granular material to improve traction.

7 Handling and storage**7.0 General information:**

Stir well before use.

7.1 Handling**Precautions for safe handling:**

No special protective measures required.

Precautions against fire and explosion:

No special precautions against fire and explosion required.

7.2 Storage**Conditions for storage rooms and vessels:**

none known

Advice for storage of incompatible materials:

not applicable

Further information for storage:

Keep container tightly closed. Store in a dry and cool place.

8 Exposure controls and personal protection equipment**8.1 Exposure limits**

Maximum airborne concentrations at the workplace not applicable

Safety Data Sheet (91/155/EEC)**ELASTOSIL PIGMENT PASTE FL LIGHT BLUE 5015**

Version: 1.4 (AUS)

Date of print: 17.01.2006

Date of last alteration: 11.05.2004

8.2 Exposure limited and controlled**8.2.1 Exposure in the work place limited and controlled****General protection and hygiene measures:**

Observe standard industrial hygiene practices for the handling of chemical substances. Do not eat or drink when handling.

Personal protection equipment**Respiratory protection:**

not required .

Hand protection:

Recommendation: Protective gloves made of butyl rubber . Gloves suitable for up to 60 minutes' use.

Eye protection:

Recommendation: protective goggles .

8.2.2 Exposure to the environment limited and controlled:

-

9 Physical and chemical properties**9.1 General information**

Physical state / form.....: paste
Colour.....: light blue
Odour.....: odourless

9.2 Important information about the protection of health, safety and the environment**Method
(67/548/EEC) :**

Boiling point / boiling range.....: not applicable
Flash point.....: > 200 °C (DIN 51376)
Ignition temperature: > 250 °C (DIN 51794)
Lower explosion limit (LEL).....: not applicable
Upper explosion limit (UEL).....: not applicable
Vapour pressure.....: not determined
Density.....: approx. 1,4 g/cm³ at 23 °C (DIN 53479)
Water solubility / miscibility.....: virtually insoluble
pH-Value.....: not applicable
Viscosity (dynamic).....: 80000 mPa*s

9.3 Other information

Thermal decomposition.....: > 250 °C

10 Stability and reactivity**10.0 General information:**

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

10.1 Conditions to avoid:

none known

10.2 Materials to avoid:

none known

10.3 Hazardous decomposition products:

If stored and handled in accordance with standard industrial practices and local regulations where applicable: none known . Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150 °C (302 °F) through oxidation.

Safety Data Sheet (91/155/EEC)

ELASTOSIL PIGMENT PASTE FL LIGHT BLUE 5015

Version: 1.4 (AUS) Date of print: 17.01.2006 Date of last alteration: 11.05.2004

11 Toxicological information

11.0 General information:
According to our present state of knowledge no damaging effect expected when treated in accordance with standard industrial practices and local regulations where applicable.

11.1 Toxicological tests

Further information:
-

12 Ecological information

12.1 Ecotoxicity

No expected damaging effects to water organisms.
Effects in sewage treatment plants (bacteria toxicity: respiration-/reproduction inhibition):
According to current knowledge adverse effects on water purification plants are not expected.

12.2 Mobility

Insoluble in water. Separation by sedimentation.

12.3 Persistence and degradability

Biodegradation / further information:
Silicone content: Biologically not degradable. Inorganic substance: Not applicable.
Further information:
Insoluble in water. Silicone content: Elimination by adsorption in activated sludge.

12.4 Bio-accumulation potential

Further information:
No harmful effects expected.

12.5 Other harmful effects

none known

12.6 Further ecological information

General information:
No environmental problems expected if handled and treated in accordance with standard industrial practices and local regulations where applicable.

13 Disposal considerations

13.1 Material

Recommendation:
Material that cannot be used or chemically reprocessed should be disposed of at an approved facility in accordance with any applicable governmental regulations.

13.2 Uncleaned packaging

Recommendation:
Containers should be completely emptied before recycling as specified in government regulations. Empty containers should be sent to an approved recycling facility.

14 Transport information

14.1 Land transport GGVSE/ADR and RID

Road ADR:
Valuation.....: Not regulated for transport

Safety Data Sheet (91/155/EEC)**ELASTOSIL PIGMENT PASTE FL LIGHT BLUE 5015**

Version: 1.4 (AUS) Date of print: 17.01.2006 Date of last alteration: 11.05.2004

Railway RID:

Valuation.....: Not regulated for transport

14.2 Inland navigation GGVbinsch/ADNR**14.3 Transport by sea GGVSee/IMDG-Code**

Valuation.....: Not regulated for transport

14.4 Air transport ICAO-TI/IATA-DGR

Valuation.....: Not regulated for transport

14.5 Transport/further information**Postal and courier service:**

German postal dispatch.....: permitted

Informing dept. ref. to heading 14. Transport information:

Department MW-G (Gefahrgut-Service), Telefax: +49/(0) 8677/83-5589, Telephone: +49/(0) 8677/83-4950

15 Regulatory information**15.1 Warning Label (EU)**

| R-Phrase | Description |
|----------|-------------|
| R- | - |

| S-Phrase | Description |
|----------|-------------|
| S- | - |

15.2 National regulations:

| | |
|---|---|
| SI 2002/1689: | CHIP Regulations 2002 |
| SI 2002/2677: | COSHH Regulations 2002 |
| SI 1999/3242: | Management of Health & Safety at Work Regulations 1999 |
| Health & Safety at Work Act 1974 | |
| SI 1993/1643: | Environmental Protection Act 1993 & Subsidiary Regulations. |
| Other national and local measures relating to the workplace, pollution control, environmental protection and waste control. | |

16 Other information**16.1 Material**

The above information describes exclusively the safety requirements of the product(s) and is based on our present-day knowledge. It does not represent a guarantee for the properties of the product(s) described in terms of the legal warranty regulations. Properties of the product are to be found in the respective product leaflet.

16.2 Further information:

Commas appearing in numerical data denote a decimal point. Vertical lines in the left-hand margin indicate changes compared with the previous version.

| | |
|-----------------------|-----------------------|
| n.a. = not applicable | n.s. = not subject to |
|-----------------------|-----------------------|

Safety Data Sheet (91/155/EEC)

ELASTOSIL PIGMENT PASTE FL LIGHT BLUE 5015

Version: 1.4 (AUS)

Date of print: 17.01.2006

Date of last alteration: 11.05.2004

Details of international registration status

Listed on the following inventories:

HSNO

PICCS

IECSC

ECL

TSCA

ENCS

EINECS

AICS

DSL