SAFETY DATA SHEET

1. Identification

Product identifier Envirotex Jewelry Resin - Hardener

Other means of identification

SDS number 02004C

Product code 02004, 02504, 02004M, 02004MC

Recommended use Arts and Crafts
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name Environmental Technology, Inc.

Address 300 S. Bay Depot Road

Fields Landing CA 95537

Telephone Telephone number 707-443-9323

E-mail mail@eti-usa.com
Contact person Technical Director

Emergency phone number CHEMTREC 800-424-9300

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

Acute toxicity, dermal

Skin corrosion/irritation

Category 1

Serious eye damage/eye irritation

Category 1

Sensitization, skin

Category 1

Reproductive toxicity (fertility, the unborn

Category 2

child)

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Harmful if swallowed. Harmful in contact with skin. Causes severe skin burns and eye damage.

May cause an allergic skin reaction. Suspected of damaging fertility. Suspected of damaging the

unborn child.

None known

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the

workplace. Wear protective gloves/protective clothing/eye protection.

Response If swallowed: Rinse mouth. Do not induce vomiting. If on skin (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see this label).

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Supplemental information

None known.

Envirotex Jewelry Resin - Hardener SDS US

919563 Version #: 01 Issue date: March 22, 2016

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Nonyl phenol	Proprietary	10-90
Alkyl Ether Amine	Proprietary	5-30
Polyoxypropylenediamine	Proprietary	5-30
N-Aminoethylpiperazine	Proprietary	1-25

The identities of the materials in this product are withheld as a trade secret (29CFR1910.1210(i)) and are available to a physician or paramedical personnel in a emergency situation.

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation

If inhaled, remove to fresh air. For breathing difficulties, oxygen may be necessary. Get medical attention immediately.

Skin contact

Wash contaminated clothing before reuse. Rinse skin thoroughly with lukewarm water for at least 15 minutes. Call a physician or poison control center immediately.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes, lifting upper and lower eyelids occasionally. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Ingestion

Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Call a physician or Poison Control Center immediately.

Most important symptoms/effects, acute and

delayed

General information

Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus and possibly the digestive tract. May cause an allergic skin reaction. Dermatitis. Rash. Contact can cause corrosive burns, corneal damage, and blindness. Itching, redness, swelling, burning or blistering of

Indication of immediate

medical attention and special treatment needed

Exposure may aggravate pre-existing skin disorders. Treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Fire-fighting

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Water. Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Special protective equipment

During fire, gases hazardous to health may be formed.

and precautions for firefighters Move container from fire area if it can be done without risk.

equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods

General fire hazards No unusual fire or explosion hazards noted.

skin.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Do not breathe mist or vapor. Avoid contact with skin and eyes. Keep unnecessary personnel away. Keep out of low areas. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Keep unnecessary personnel away. This product is miscible in water. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Collect and dispose of spillage as indicated in section 13 of the SDS. Prevent entry into waterways, sewer, basements or confined areas.

Never return spills to original containers for re-use.

Avoid discharge into drains, water courses or onto the ground. Contact local authorities in case of **Environmental precautions** spillage to drain/aquatic environment.

919563 Version #: 01 Issue date: March 22, 2016

2/7

7. Handling and storage

Precautions for safe handling Do not handle until all safety precautions have been read and understood. Do not breathe mist or

vapor. Do not get this material in your eyes, on your skin, or on your clothing. Avoid contact during pregnancy/while nursing. Provide adequate ventilation. Use personal protective equipment as required. Wash contaminated clothing before reuse. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Avoid release to the environment. Keep out of reach of

children.

Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Store locked up. Store in tightly closed original container in a dry, cool and well-ventilated place. Store away from incompatible materials, see Section 10 of the

SDS

8. Exposure controls/personal protection

Occupational exposure limits No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines No exposure standards allocated. Use personal protective equipment as required. Keep working

clothes separately.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. The most suitable glove must be chosen in

consultation with the gloves supplier, who can inform about the breakthrough time of the glove material. Wear appropriate chemical resistant clothing to prevent any possibility of skin contact.

Respiratory protection If ventilation is insufficient, suitable respiratory protection must be provided.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. Wash at the end of each work shift and before eating, smoking and using the toilet.

9. Physical and chemical properties

Appearance Viscous liquid.

Physical state Liquid.

Form Viscous. Liquid.

Color Clear.

Odor Minimal. Not distinct.

Odor threshold Not available.

pH 11.7

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point > 249.8 °F (> 121.0 °C) Closed Cup

Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density > 1 (Air=1)

Relative density 0.97 g/cm3

Solubility(ies)

Solubility (water) Slightly solube (0.1-1%)

Partition coefficient

(n-octanol/water)

Not available.

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscositySlightly viscous

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Read and follow manufacturer's recommendations.

Chemical stability Stable under normal temperature conditions and recommended use.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Avoid temperatures exceeding the flash point. Reacts violently with strong acids. This product may

react with oxidizing agents. Do not mix with other chemicals. Contact with incompatible materials.

Avoid incompatible materials and intense heat.

Incompatible materials
Hazardous decomposition

products

Acids. Strong oxidizing agents. Oxidizing agents. None expected under normal conditions of use.

11. Toxicological information

Information on likely routes of exposure

Ingestion Under normal conditions of intended use, this material does not pose a risk to health. Harmful if

swallowed. Causes digestive tract burns.

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

When heated, the vapors/fumes given off may cause respiratory tract irritation.

Skin contact Causes severe skin burns. May cause an allergic skin reaction. Harmful in contact with skin.

Eye contact Causes eye burns. Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion may produce burns to the lips, oral cavity, upper airway, esophagus and possibly the digestive tract. May cause an allergic skin reaction. Dermatitis. Rash. Contact can cause corrosive burns, corneal damage, and blindness. Itching, redness, swelling, burning or blistering

of skin.

Information on toxicological effects

Acute toxicity Harmful if swallowed. May be harmful if absorbed through skin. May cause digestive tract burns.

Components Species Test Results

N-Aminoethylpiperazine (CAS Proprietary)

AcuteDermal

LD50 Rabbit 880 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Corrosive to skin and eyes.

Serious eye damage/eye

irritation

Causes eye burns. Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Due to partial or complete lack of data the classification is not possible.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicity Possible reproductive hazard. Possible risk of harm to the unborn child. Possible risk of impaired

fertility.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Due to the high viscosity the product is not an aspiration hazard.

Chronic effects Prolonged exposure may cause chronic effects. Possible adverse reproductive and developmental

effects.

Envirotex Jewelry Resin - Hardener SDS US
919563 Version #: 01 Issue date: March 22, 2016 4 / 7

12. Ecological information

Ecotoxicity Expected to be very toxic to aquatic organisms. May cause long-term adverse effects in the

environment.

Components **Test Results Species**

N-Aminoethylpiperazine (CAS Proprietary)

Aquatic

Fish LC50 Fathead minnow (Pimephales promelas) 1950 - 2460 mg/l, 96 hours

Nonyl phenol (CAS Proprietary)

Aquatic

0.0379 mg/l, 48 hours Crustacea EC50 Clam (Mulinia lateralis) Fish LC50 Winter flounder (Pleuronectes 0.017 mg/l, 96 hours

americanus)

Polyoxypropylenediamine (CAS Proprietary)

Aquatic Chronic

NOEC Algae Algae 0.32 mg/l, 72 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

No data available on bioaccumulation. Bioaccumulative potential

No data available. Mobility in soil None known. Other adverse effects

13. Disposal considerations

Disposal instructions Dispose in accordance with applicable federal, state, and local regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Corrosive liquids, n.o.s.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions). Do not allow this material to drain into sewers/water supplies.

Contaminated packaging

Dispose in accordance with applicable federal, state, and local regulations.

14. Transport information

UN number UN1760

UN proper shipping name

Transport hazard class(es)

Class 8 Subsidiary risk **Packing group** Ш

Special precautions for user Not available. **Special provisions** IB3, T7, TP1, TP28

Packaging exceptions 154 Packaging non bulk 203 Packaging bulk 241

IATA

UN1760 **UN** number

UN proper shipping name Corrosive liquids, n.o.s.

Transport hazard class(es)

8 Class Subsidiary risk 8 Label(s) Ш Packing group Packaging exceptions: 2.7.2.1 **Environmental hazards**

Special precautions for user Not available.

IATA permits the classification of marine pollutants as environmentally hazardous substances when shipped to/from a country that regulates these materials, or if it is in a transport chain involving water.

IMDG

UN number UN1760

UN proper shipping name Corrosive liquids, n.o.s.

Version #: 01 Issue date: March 22, 2016

Envirotex Jewelry Resin - Hardener

Transport hazard class(es)

Class 8
Subsidiary risk Label(s) 8
Packing group III
Special Provisions 223, 274
Packaging exceptions 3.4.1

Environmental hazards

Marine pollutant Yes
EmS F-A, S-B
Special precautions for user Not available.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

N-Aminoethylpiperazine (CAS Proprietary)

US. New Jersey Worker and Community Right-to-Know Act

N-Aminoethylpiperazine (CAS Proprietary)

US. Pennsylvania Worker and Community Right-to-Know Law

N-Aminoethylpiperazine (CAS Proprietary)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

International Inventories

Country(s) or regionInventory nameOn inventory (yes/no)*AustraliaAustralian Inventory of Chemical Substances (AICS)No

Envirotex Jewelry Resin - Hardener SDS US 919563 Version #: 01 Issue date: March 22, 2016 6 / 7

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 17-April-2014

Revision date - Version # 01

NFPA Ratings



References ACGIH

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Disclaimer The information in the sheet was written based on the best knowledge and experience currently

available.

Envirotex Jewelry Resin - Hardener

SDS US

919563 Version #: 01 Issue date: March 22, 2016

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).